



CONTACTOR RELAY 64E EN 50 011 6NO+4NC,
SCREW TERMINALS DC OPERATION DC SOLENOID
SYSTEM DC 24V

General details:

Size of the contactor		0
Ambient temperature		
• during operating	°C	-25 ... +55
Protection class IP / on the front		IP20
Item designation		
• according to DIN 40719 extendable after IEC 204-2 / according to IEC 750		K
• according to DIN EN 61346-2		K

Control circuit:

Type of voltage / of the controlled supply voltage		DC
Control supply voltage / 1		
• for DC / rated value	V	24

Auxiliary circuit:

Operating current / of the auxiliary contacts / at AC-15		
• at 230 V	A	10
• at 400 V	A	6
Identification number and letter for switching elements		64 E
Number of NC contacts / for auxiliary contacts		4

• lagging switching		0
• delayed switching		0
• asynchronous switching		0
Number of NO contacts / for auxiliary contacts		6
• leading switching		0
• delayed switching		0
• asynchronous switching		0
Number of change-over switches / for auxiliary contacts		0

Connection type:		
Design of the electrical connection / for auxiliary and control current circuit		screw-type terminals

Mechanical design:		
Type of mounting		screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022
Width	mm	55
Height	mm	78
Depth	mm	135

Certificates/approvals:		
General Product Approval		Functional Safety / Safety of Machinery



[Type Examination](#)

Test Certificates		
other	Special Test Certificate	Type Test Certificates/Test Report

Shipping Approval			
DNV	GL	LRS	RMRS

other		
Declaration of Conformity	other	Environmental Confirmations

Safety:		
Protection against electrical shock		finger-safe
T1 value / for proof test interval or service life / according to IEC 61508	a	20

Further information:		
-----------------------------	--	--

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

CAX-Online-Generator


<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3TH4364-0BB4/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3TH4364-0BB4



last change:

Jan 21, 2013